
HFA RETREAT BOOTH





Booth

FEATURES

Freestanding acoustic booths with ergonomicallydesigned seating, power + AV integration and modular, reconfigurable screens.

Dimensions

Back height: 1350H Seat height: 450H

2, 4 + 6 Seater Booths

Variety of table options including Shift Split for superior ergonomic support and ease of entry into booth

Table tops available in LPL, HPL, veneer or solid timber in the colour of your choice.

Upholstered in fabric 1370W+

Multiple upholstery configurations

Table leg powdercoated in Black or White or any standard powdercoat colour

4 + 6 person booths can have a 43" screen mounted to the screen wall

Optional power integration including Echo Duo, Connect Me 2 + Connect Us

Adjustable levelling glides

10 year warranty

6-8 week leadtime



Retreat Booth - 2 Person - Open Meeting - With Shift Split and dual monitors




Retreat Booth - 4 Person - Enclosed Meeting - With Shift Split table and Arm rests




Retreat Booth - 4/6 Person - Open Meeting - With TV

Booth


2 Person Booths




Glide detail



RB-SH-HB2-SS-R










Left Entry

Retreat Booth - 2 Person - Open Meeting - Shift Split Table - Right Handed Entry




RB-2HB1-SS







Retreat Booth - 2 Person - Open Meeting



RB-2HB1-EE / RB-2HB1-EE-AR







Booth


4 Person Booths










Retreat Booth - 4 Person - Open Meeting - Shift Split Table










Retreat Booth - 4 Person - Open Meeting









Retreat Booth - 4 Person - Enclosed Meeting - With or Without Armrests










Booth


6 Person Booths



Retreat Booth - 6 Person - Open Meeting







Booth

Power options





Echo Duo - Power / USB A+C

Echo Duo - Power / Wireless

Available with 1x Echo power outlet and with a mix of either: 1x Echo USB A+C / 1x Wireless charging / 1x grommet for pulling through cables

P1 - Echo Duo



Connect Me 2 - closed lid



Connect Me 2 - opened lid



Connect US - closed lid



Connect US - opened lid

2x Power outlet, 2x Data provision and AV/USB tiles if required 4x Power outlets, 2x Twin data holes and space for AV/USB tiles if required or fast charge USB A+C

P2 - Connect Me 2



VGA socket



HDMI



3.5 or 6.5 stereo jack



P3 - Connect US

Mini XLR 3 or 4 microphone jack



USB pass through or USB Fastcharge



RCA socket

Booth

Cable Management options

FEATURES

Cable cutout on table top - scallop

Allows underdesk cables to reach desktop.

Included in all versions of the below Booths:

RB-2HB2-SS

RB-2HB3-SS

RB-2HB2-EE

RB-2HB3-EE

Underdesk tray

Keeps monitor and power cords secured and static below desktop. This means less risk of damage to the cords because they don't move when the desktop is adjusted. This offers a tidier solution with most cables secured under the desktop.

Included in the below Booths:

RB-SH-HB2-SS

RB-SH-HB2-SS-P1

Underdesk Cable Sling

Provides streamlined cable management for cables underneath the desktop. Power outlets are also mounted to the underside of the desktop.

Included in the below Booths:

RB-2HB3-EE-P3


RB-2HB3-EE-AR-P3

Optional extra for all other booths

Cable Sleeves

Neoprene cable sleeves can be added to carry power and data cables between the floor and tabletop.

Optional extra for all booths



Cable cutout on tabletop - scallop




Underdesk tray



Underdesk Cable Sling




Cable Sleeve




Booth

Finish options



Fabric upholstery configurations - 1370W+




Retreat Booth - 2/4/6 people - Open Meeting



Powdercoated Table Leg

25mm Table Top

- Low pressure laminate
- High pressure laminate
- Veneer
- Solid Timber
- Plywood



Retreat Booth - 2/4/6 people - Enclosed Meeting

