

WAFFLE DISC ACOUSTIC (LX-WDA)


TYPE:


Waffle Discs are a logical way to put sound on the agenda in any open space. Available In various sizes, over 40 colours and two playful designs, the hardworking acoustic panels create a unique shape and colour blend to suit any environment. Mix and match all of these options for a visual punch.

KEY BENEFITS


- Highly effective sound absorption
- Available in 2 patterns, 4 sizes and a wide range of colors
- Acoustic panels are 100% recyclable and manufactured from 65% recycled material
- Classic pure wool upholstery fabric
- Class A fire rating
- Non-metallic dyestuffs
- Available as wall mounted or suspended
- Can be suspended horizontal or vertical

SIZE AND PATTERN






SUSPENDED -HORIZONTAL




SUSPENDED - VERTICAL



Vertically suspended discs are padded on bounded sides. Their overall thickness is 2"/50mm

WALL-MOUNTED



Wall-mounted 1 Wall-mounted 2 (1"/25mm from the wall) (3"/75mm from the wall)

ORDER CODE

EXAMPLE: LX - WDA - L - 33 - O - W

(Luxxbox Waffle Disc, large (dia 29.5 / 750mm), color 33, orange pattern, wall-mounted 2 (3"/75mm form the wall)

| LX - WDA | | | | | | | |
|--------------|------|------------------|--------------------------|---------|--------|---------------|------------------------------------|
| PRODUCT CODE | SIZE | • | COLOR | PATTERN | | CONFIGURATION | |
| WDA | s | dia 17.5"/450mm | Use color codes as shown | 0 | Orange | S1 | Suspended Horizontal |
| | M | dia 23"/580mm | | D | Donut | S2 | Suspended Vertical |
| | L | dia 29.5"/750mm | | | | W1 | Wall-mounted 1 (1"/25mm from wall) |
| | XL | dia 45.3"/1150mm | | | | W2 | Wall-mounted 2 (3"/75mm form wall) |

Luxxbox reserves the right to change the specification, material and colours at any time without notice. Standard warranty terms and conditions apply. All rights reserved © All dimensions and values on specification sheet are nominal. February 2024 . LX-Waffle-Disc-Acoustic-Install-2020.V2



LUXXBOX USA INC \times (P)+1 (415) 871 0448 \times USA@LUXXBOX.COM LUXXBOX PTY LTD \times (P)+61 7 3257 2822 \times INFO@LUXXBOX.COM WWW.LUXXBOX.COM







TYPE:

AVAILABLE COLORS

Colors are subject to lead times and variations across batches



Luxxbox reserves the right to change the specification, material and colours at any time without notice. Standard warranty terms and conditions apply. All rights reserved © All dimensions and values on specification sheet are nominal. February 2024 . LX-Waffle-Disc-Acoustic-Install-2020.V2







WAFFLE DISC ACOUSTIC (LX-WDA)

TYPE:

MATERIAL SPECIFICATIONS

| COLOR FASTNESS TO LIGHT: | ISO 105-B02-1994 Rating: 6-7 | | | | |
|--------------------------|--|--|--|--|--|
| FIRE TEST: | AS1530 Part 3 AS3837 ISO5660 BS EN 1021-1&2 Cigarette and Match BS 7176 Low Hazard UNI 9175 Classe 1 | | | | |
| ENVIRONMENTAL: | PET achieves GreenTag Certification GreenRate: Level A EU Ecolabel Certificate | | | | |
| THERMAL TRANSITION: | ASTM C518-2010. R- Value = 0.30 m ² K/W | | | | |
| SOUND ABSORPTION: | AS ISO 354 – 2006 Noise reduction coefficient (NRC) = 0.45+ | | | | |
| VOC EMISSIONS: | ASTM D5116 Rate: < 0.02 mg/m²/hr (7 days) | | | | |


PET ACOUSTIC PROPERTIES

Products are given a Noise Reduction Coefficient (NRC) from 0 to 1 based on their ability to absorb sound, where 1.0 equals 100% sound absorption. The NRC is used to calculate Sabin value of any surface material. The Sabin value equals the NRC multiplied by the total surface area in squared feet or squared metres.

| (S) 17.5" / 450mm | (M) 23" / 580mm | (L) 29.5" / 750mm | (XL) 45.3" / 1150mm |
|--------------------------|--------------------------|--------------------------|-----------------------|
| > 0.77 Sabins (Imperial) | > 1.28 Sabins (Imperial) | > 2.14 Sabins (Imperial) | > 5 Sabins (Imperial) |
| > 0.07 Sabins (Metric) | > 0.12 Sabins (Metric) | > 0.2 Sabins (Metric) | > 0.5 Sabins (Metric) |

ACOUSTIC PROPERTIES

Visualization of decibel decay across the Disc range. Effects of a 0.7+ NRC across a range of frequencies.



Luxxbox reserves the right to change the specification, material and colours at any time without notice. Standard warranty terms and conditions apply. All rights reserved © All dimensions and values on specification sheet are nominal. February 2024 . LX-Waffle-Disc-Acoustic-Install-2020.V2




O1 PET

TYPE:

INSTALLATION INSTRUCTIONS (SUSPENDED)

(All suspensed Discs supplied with 9' / 3m of height adjustable suspension cables)



Luxxbox reserves the right to change the specification, material and colours at any time without notice. Standard warranty terms and conditions apply. All rights reserved © All dimensions and values on specification sheet are nominal. February 2024 . LX-Waffle-Disc-Acoustic-Install-2020.V2








WAFFLE DISC ACOUSTIC (LX-WDA)

TYPE:

CANOPY LOCATIONS

(All suspensed Discs supplied with 9' / 3m of height adjustable suspension cables)

CEILING SUSPENDED



Luxxbox reserves the right to change the specification, material and colours at any time without notice. Standard warranty terms and conditions apply. All rights reserved © All dimensions and values on specification sheet are nominal. February 2024 . LX-Waffle-Disc-Acoustic-Install-2020.V2









TYPE:


INSTALLATION INSTRUCTIONS (WALL-MOUNTED)


INSTRUCTIONS

- 1. Fix mount plate to wall substrate using the dimensions below, screw type to be determined by installer (not supplied).
- 2. Insert selected threaded rod on wall's mount plate.
- 3.Fix disc to threaded rod using the disc's mount plate









Luxxbox reserves the right to change the specification, material and colours at any time without notice. Standard warranty terms and conditions apply. All rights reserved © All dimensions and values on specification sheet are nominal. February 2024 . LX-Waffle-Disc-Acoustic-Install-2020.V2



O1 PET